	Total	N-Clones	T-Clones
		(208F-FE-8)	(FE8-208F)
Number of sequenced cDNA clones	1257	669	588
Number of individual sequences	823	416	407
Sequence analysis			
Known genes (nr/Genbank)	427	207	220
Expressed Sequence Tags (dbest)	3 0 3	161	142
No similarity in data bases (new)	93	48	45
Expression analysis: Reverse Northern Analysis/con- ventional Northern Blot			
Differentially expressed	393	225	168
Known genes	244	126	118
Expressed sequence tags	104	74	3 0
New sequences	45	25	20
Not differentially expressed	194	86	108
Not detectable in expression analysis	236	105	131

FIG. 1

Here, that the adjuster over $a\gamma \in \mathbb{R}^{n \times n}$ that the formation

į
1
•

			X X Cont	100			EX. er.:	
			0	0.5			53	
		Arress Redund-	d- Adj.	Adjust- Verit-		Acress Reduca-	(1)	70115-
Sequence Inemiity (Sendank EMBI)	\$61.63	Victor anny		ment ination	sarrado (1995/Normania) Atribati ameridas u		ν ν	icallon
				Signal	Signalling Molecule			
3',5'-aydic AMP pasapararerase	. .	75.3807	>100	Ω 0	ARAS-Ko (A Kitase abolice profest)		\s.	m T
ACOUNT TOUR	\$.	AB31.5143	38.		(Form: 1 No. 0000 No.0) (Spin			. c .
AMP-aspectable to the the state and a special	3 .	X12492	0.7	0 R	C-821-(482-)	- FO COOK		, .v.
Car and remaining the contract the	٠		ıı.	Ξ	S9A-2		17	` . ,
(C)	٤.	95et -X	24.3		Calmodmin dependent profess kindse lia	000	or.	, on
Sadis 8-1 die bij generale-spinselies autobe	٠.	2000	er:		Constant and a second s			or.
CONTRACTOR AND CONTRACTOR OF THE PARTY OF TH	¥.1	386	38.		29: 00=011:0=8a[-5:01111 11:010]	CX CX	(* . . x .	
IMM-complex-assuciated proferm (IMME)	. f *	AFC14195	9.8	12	[KBP5] (T cell specific infunction)	600 100 100 100 100	01	ř.
73.5.2.2.	1.		m		Ella (Ellastike lastal vy akatela)		1	11.
XSI2 4.1880	١.	APS21429	21.		IR-EXEC	9.227		. ന
Vector of accompanies of the second of the s	× 1	(Y)	5.55	100 243 100	GTP-binding protein FABS	1 000 ST CEO		< . F-4
C	3		رص معن		CAST protein-tyrosine kinase :	7 27.2356 1	0.33	
COURT TROUGH ON THE COOK	5.4	**************************************	() //		MAS Alcase phosphatase (2002)	1 25 C C 2	0.3	2.27.8
00000000000000000000000000000000000000	4:	08.1334	2007	ж 22	p6" (coopyway)ateu 6" k5a (roteun)	for the second	68.5	. (*)
Phosphatidylinositol 3-kinase pl30	ŧΞ	55775	ŝ.	-	Phosphatase 2A Bie	2 .42373 2	(O	, I
Protein lyrosine prosphatase dolta (MPTPG)	¥ 1	53.393			SKI Kinase	e: 0.5:	(T)	(f)
30% alima 30% alima	٠.	130000	26.	0 × 0 × 1	N 4352	r ::4463 I	5.33	9.1
Serum indusible kinase (SWK)	€1	N96163	07		Rapla GTP binding protein	107738	()	1
SHB cining protein (SAB)	.41	ABC05047		ix.	Ras GIFase-activating profett	1. 1350.321	ar a	F13
					KhoC	r X80638 2	٥,	m:
					SBF1 phosphatase	093181 1	27.15	K. 6.1.
					Sprouty 2 (SPRY2)	2 (59)		720,3
					THORAL TOWNS	maconto E	C1	721
					Service of the servic		113	277

	Muclear Proteirs	2: 1:			(الاعتمامية والمتحججين المالية المرابط المرابط المرابط المرابط المرابط المالية المرابط المالية المرابط المالية			
AENAN TELEFORECTOR	444.000	-1	1	4 1		F11115		. • દ
				Ţ:	Charles as a substitute of the boat to come the thirty	F3(F36)	ui)	501
38G-1 (brahma humelog)	001990		~~	::	COC like kinase (cik)	100000		57.5
COMMITTEE AND A STATE OF THE ST			÷	::	[7] [2] [2] [3] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4			ur) : 1
	100007C IS	1	•	. si	(r pakripa paparan son) (r pakripa paparan son) (r pakripa paparan son)	7.94.75		56,3
Centrometry states and	(4) (4) (4) (4) (2) (4) (5) (7) (7) (7)	-+		α. :::	Hilliam and Plinatofulate (CONE)	E E E E E E E E E E E E E E E E E E E		L- 1-
The second of th	1000 100		2.	:	धान्योत्त्रीय क्रिक्टिक्टा कर्ने क्रिक्ट	1.444.4		128
Common acetalian Common		- 1	ij	1.	TABLE (Lambida assertante) (Linguista in territoria)			or.
DNA repair protein asis:			Ţ	. č. † TE	(21) Special feature with	111111111111111111111111111111111111111		T30
ESSI transcription factor	59.6.22		رة رة	 	Very transfer in the factor	~ 053635		T31
TOTAL TOTAL PROPERTY OF THE STATE OF THE STA	(*) (*) (*) (*) (*) (*)	. 1	7.	(T)	pidd transpiringal cearbatace	CC CC		rx;
Section and a se		, ⊣	; ;	0.00	202.400			252
THE CASE OF THE CONTRACT OF TH	10 (1)	. (;;;	37,126	HB (tetinobidations pritain)	r 255233		533
Selicase cos (SCHIC)	CICCIA	C 1	C:	, 100 j	(ESECTION TOURS) TWO	75532		34,3
The constant of the constant o	248900	2	0.8	α.				
20 - 12 - 12 - 12 - 12 - 12 - 12 - 12 -	m X82786	e	>100	N23, R				
1AP2 (Lamina associated polypeptide 2)	5 018314	<7*	>100	N24,R				
Mouse zind finger nritein			2.5	N25				
FIEE3 (X-linked franscriptional activator)			3.6	×				
Violear autoantigen OSAWA	686/ 4	ę	31.9	œ.				
TOTAL STREET	E A.50.75.3		13.0	N26				
Poly(ADP-ribose) glycchydrolase (n2ARC)	m AF0/9557	,	2.4	x				
3nf4 transcription factor	14:36:31 14:36:31	2	64.9	œ				
THE PROPERTY OF THE PROPERTY O	SPS: 1010	,. <i></i>	٠. ص	Œ				
Solve Conservation Section	r 524, 15	, -4		N27				
Topolsunerase I	J 316061	e- 4	20.1	æ				
lopoisorerase II	7 719552	~	2.1	α.				
	Protein Processing,	1000	1	F	Protein Transport and Protein folding Molecuie			
265 titotranount automotivity 255	C010 200 W	e H	نى . ب	N23	Animopophidase P (APP)			α.
GROS4. enduciasmun	01789S A	r -1	2.2	(r.	Chaperolin containing TCP-1 epsilon(CCT)			35,8
3 C C C C C C C C C C C C C C C C C C C	200.30 8	- 4		57. 57. 87.	で : : : : : : : : : : : : : : : : : : :	77.0619.7	4 48.5	981
Heat spick protein 30	5 X.5183	e	æ. œ.	ИЗС, К	63275		2 2.4.5	
				<u>C</u>	~ C		Por se	¥.
				2	77 .		5	

FIG. 2A

MG-160 (Bold) appuratus silibu,yaqpiolein) Recor Transloration profess-1	\$ \$ 4 \$ ()	008136 132875 087127		2.5 2.5 2.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3	8 N N N N N N N N N N N N N N N N N N N	[AA33] (nerpes ass. ubiquitin-specific pricense) Liporin alpha 2] WPS (filochondrial processing peptidase peria) For-179an	al f. Ka f	2223 2223 2223 2223 2423 243 243 243 243		m so m T	m or or f
						(311111)	s:	7.996X 7.386X	A		17,
						Crimication Contraction Carter 3	. •	(1) (2) (3)			17.
		¥ ∪ ×	1104		(a)	Metabolic Engres, Transporters und Ibn Changels					
S beta cyminking in the management of the management		197590	~ J*	< : : : :	£¥Ĺ	452am is estimal type ii menorane g.yoomasaa	kov	50.60	• 3"		. 7.
Secretaria de compara de la co	k .	75.75 X 17.55	2		, r:	SHEET STATE OF SHEET SHE	4.1				7.7
AST TRACTOR TO THE TRACTOR ASSESSMENT	٤.			c.	 2<		١.	343030		4	n.
Appa = mannesinase ii	€-	Xe.: 22			îr.	despire recent ase	b .	*#" *** ***			77
The Control of the Co	ŧ "	1 \$ P		5 T 1	N ST	3.9.1.1212h SV212h*18h	* *				n.
APS6 (arelaminophon-binding protein)	E	556593		x.	nc.	ATP dittate-lydse	3.				e.
Transmi burero i -aedode	.:				:: ×	Bendarda ayaralase	۶.	· (:	r.		
Caracita translation minima. Teaso	Se a	8766/X	۲7	 < 3°	,0 15	(factor delicities and action of the	.4:	X99473	_		íY)
Common de la compactación de la	ķ.,			r.	- - 	Fameng i pyriciprosiprato synthetase	٤.	1 : : : : : : : : : : : : : : : : : : :	٠.,	···	CT.
Chical the same appropriate the contract of th	.::	17 66 70		00	ïY,	aseradorpArap aterdisorpi=s-ascor(5)	.,	7.649			er.
Giutamine sythetase	**	ZG9T6X	m	37.7	24	Glutathiune reductase	>	4.00			2121
NADE centurogenase chain t		e5857X		ur cu	x	Slyr-1 (Loukemia viris receptor 1)	ŧ,	9698.2	2		or,
NADE dellydrogenase chain o	*	A. 5220		.c	ĸ	Moul monocarboxylate transporter	۶.	X86216			ry;
VECTO CLECK CONTRACTOR	ā	502657			00 11.	Attoundmenta, Errichertonal pretern	١.	64 €			(
Phosphartage photo: 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,				() ()		Assistant the dee (the)	••	Auctor	3		or.
Selencino de la Parecenta de la Caracante de l	h-si	2632 74	2	т т	N-10	NPC=1 protein	f:	AFC03348			m.
						Spage yearant alutase 3	k.	563233	4		or:
						Stenroy: CoA desaturase 2	3.4	AF036761	_		ſ۲.
						Transcript ass. with monocyte differents: or	٤.;	X85/00		7.8	851
						Transporter protein (qi7)	.::	049082			œ
						X-chromosome linked prosphodiyestabe kinase	k.	M31788		2.3	m.

FIG. 2B



Tyroskejetom Components-Molecule Involved in Adhesion and Cell-Cell Interaction	
toskajeton Components-Molecule lovolved in Adhesion and Cell-Cel	interacti
toskajatom Gemparanta-Malacija jovojvad in Adhesion an	Jell-Cel
tuskeleton Components-Molecule Involved in Adhesi	all:
toskejetom (bemponemiss-Molechie involved in	Thesa
اهماأومان فإبرفاده فيتقبهم وسوادة واعلاوا	C
:Skejetom Components-Molecui	na jiya
tuskojatom Components-Volac	a
tuskajatom So	oretic=Volen
1.35kp [p.	E.
	1.35kp [p.

ABP-280 (accommand protect/filemin)	1. X33416	90	0	:E		Arp3 (actin related protein 3)	47	\$30000TV	-> >	, r.,	749,3
्रा स्टा स्टा	I AUDGUI		2.1	.Y		ביושיי וויים ושפען וויישונים שוויונים לו הנייבה.	ŧĒ	1333356	< 3	23.7	I50,8
	T X77557	F C	11.7	٣.		Calponin	١.	006755	e · •	 	m.
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	6.15017	C47	50	. F 2		0.000 JV 1000	-	M61875		0.	25.13
CVtohes::-2	862021 I	oc:	GB. 1	10 N42	2	Laminin receptor	ł.	J02873	(£)	4	r:
	m X65.28	(I)	5	er.		Teukocyte adhesion protein pisõ,95	.4	Y00093	2	5.2	æ
RSPS Core (Consultant (Condecated)	10000	r.	C: 13	ત્ર પ્રદેશ €.	12	MAGE B give classical	.1	2337.63	€.1	03	E +
Constitution of the control of the c	(1)	(*)	0.00	· ·			٧.	a a in		(T)	iri
	: \$17900	2	ç.,ı	84.02M		TAL OXCORPTAN GRAP	k.	(A)	ers.	o,	<u>د</u> ا
Phodoberto	T X36340	<>	. 29	.1 N46	9	Thyposin bera 4	> -	X34013	r4	(3 (3)	154,8
61 	655960 4	6.	9.4	4 R							
Ryddonan	r 56.868	99	5 27.7	.7 N47,R	м,						
) CTECNWOODL	500169	59	80.	8 N48, R	æ						
TaRW-2/clusteria	r 364723	23	39.4	.4 N49	<u>-</u>						
T. Achter	r X62352	2.5	, .0	e .							

Extrabellular Profeins

Co. sagen a pria	3.4	7.1827.9	3.4	2.3	<u>~</u>	MM2-1 (Collagenase)	>: >:	9.59092	6	63	755,3
(DIST CONT. TOTAL CONT.)		30.00		61	38.		;e:	10000	: ~	32.3	T56,3
		2000		6.3	111	(5.11.6. (5.11.4.1.4.1.7.)	1.	28020	1.2	œ.	ſY.
() () () () () () () () () ()	ε	122493		3,3	α.	Mob-1	::	017035	7	5.4	757,3
Fibronectin		X15906	25 .		N52	T. Sea.	×.	X7899C	g	an.	an (1) € 4
(1)	£	770642	c.		N53						
Follostatin-related profess; TSC-36	<u>. </u>	106864	.0	2.0	454, R						
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	£	50.03			m						
1787, extduse	_	11:10.38	5;	3.2	m.						
Lysy, exidese-relaint process (AS9-14)	C)	383342	, ,		N55, R						
Megakantan indice dinantan Kana	E	0.1986	~	و·ن	M56						
MGF (mast rell growth factor)	E	344 (25			<u></u>						
WELL (Asiatilase à)		765656	~		N58, R						
	-	X62473	25 /		íX,						
TIMP-2 (institution of metallictory atdase I)	k i	57.25.94		m: co	M59,8						

FIG. 2C

	ñ	n:	es.		Ne3	W. C. Marille	T 01291		700 1 (4)	ari Gr	
		0 0				ļ	27000			COL	
(c. 300) 101 101 10 10 100 100 100 100 100 10	- T	A100000			 >:	9-001 (040) 0 1000 00100000 100000 100000 100000	V 10000	,	0.75	C 1001	
		67:57	~		M61,3			(I)	i i	r.	
		00.000		9	115	Committee to a section of the sectio	A.C. 25	٠٠ ج چ	era Gr	C351	
	>				2		1000		£.	(*) \(\c)	
					2 :		[630 + 668 H	1 600			
で : ** : * : * : * : : : : : : : : : : :	υ :		Λ,	3	7 S.N.	C24 Keratin-, related	3 A	1 ,000		6	
are outdigasour eraiz-300	(E)	.45177			M63,8	Calmountur (ACM)	7.33.2	2	on ci		
ELSA (co.) responsive Team)		1111111		1.7	57.75	Carry borows are set being a C INDEC 813	FC 35 37	- FC:	63.0		
TO THE TOUR STREET STORY OF THE TELES		X:6953		3	œ.	BACKST COTOC CT SOUTH	1. AB02.		CJ.		
	٠.	0.288503	· ·	88.	265	Glycyl-tRNA synthetase	0.6600 2		2.5		
		(61321		62	166	HANDERSON OF A STATE OF THE STA		9	er er		
	000	228476		٠. ج	er.	insulinora Gene (rig)	51.0695.3				
	13	3 (3) (3)		(1) (m)	αï	WINDLE CTO'S I	3.		0		
(25.6.00.1cm, 0.1.0.46.7	97.	80.6		α.	~	RIAA0013 (TVeloblast)	n AF364093	1093 I	3.5	ry.	
() () () () () () () () () ()	71 11	100 100 100 100 100		9:	×	KINNU SII ILLAHI)	:		(·		
	- ARC	R002 430	~	σn •	~	KIAA04 (1 (prain)	AB302368	2,568			
	 	100 E	ny m	20.23	31.	Kimabus serains		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2.5	αí	
(Appropriate the part of the section	1	(4.1824		6.2	≃:	KIAA0544 (crain)	ABCIIC97	- T	5.3	mi	
	25	NEO 65.4.58			N63	KIMADSE Greates	3877776	7 977	0)	ςr.	
	88	13617		7.0	65	KINA059 (oraje)	333215	1.01		r.	
	- E	158831		·.	SE,	THE TRANSPORT	F 48011169	69.1	4.2	o:	
		7.4636		9.4	N68	LIM-protein FEL3	E 95055889	1 6889	**		
C SCOT STREET CONTRACTOR (STREET CONTRACTOR)		05350	1		698	The contract of the contract o	(2) (3) (3) (3) (3)	1.21	887		
AND THE PROPERTY OF THE PROPER		188180	714	.5.	ಮ	Mu-calparn lange cubattle (class)	91.00 C. 128	1 350	2.8	ari.	
	×	X:7464	^	000	N30	Ciliano\	r AND88958	2928	er.	r	
Ping-finger defeath-coffeathilly protein	 	5,325,5		70	žri.	CARLOS (Se exygen regulated protect)	7) 0: 5:	4 1	3.3	171	
NEZI Zinder protein	m AEC	AF062071		: 19	54	PRD inger protein 2 (PHF2)	5), 20, 0	NR 0053921 1	2.1		
					•	Rsen3 (ra: spinocerebellar alaxia type s gene)	r 712319		50.		
						Sery, taxa synthetase	36188X = 0	£ 36	5.5	m	
						Synexia (annexia VII)	513129	53	2.2	rr.	
						TACCZ	AE09579	5391 1	2.3	er.	
						TSG101 (tuner susceptibility protein)	25945	55.	2.2	[] (2)	
						Tyrosine phosphatase-like protein (A-2a, PTP35	r 740652	52	74.9	IM, R	3

Others

FIG. 2D

Expressed Sequence Tags (EST)

Up-adjusted ESTs	ESTANDO 128 ESTANDO 138 ESTANDO 139 ESTANDO 139 ESTANDO 139 ESTANDO 1301 ESTANDO 1301 ESTANDO 1000	2.0 Vol. Common of the common	ZU MEW Defluctiones
	# 5 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	New Sequences	
	E. FAM. 1677 ENIAANAYASI ENIAANASISASI ENIAASISASI ENIAAANASISASI ENIAAASISASI ENIAAASISASI ENIAAASISASI ENIAAASISASI ENIAASISASI ENIAASISASI ENIASSASI ESIASSASI ESIASSASI	New SC	
Cown-adjusted ESTs		A V See Control of Section 2	odgatilleso
Cown-ad	SCHAALOCYTE BCRAAVON BCRAAVON BCRAACON	100 X 4.	WOW ST
	1		

FIG. 2E

1937 153 Syttham		Sergine	E ucia	Axpression Otrength		galdvi	Apression Strength	rengin
Code Systems	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	6	1		Artread: educabec	;		
Shemyth age	(denoank/timbh)	1007	10 11 11	FE6	(Gettbank/ExBL)	7.00 m	0	00 k
Control Figure	Wight in Committee of the Committee of t			0.1				à 1.
BROWN-sescripted RIME groups (Maps) 1	0-sydroxy 0-rechylglutary) com synthase	+	٠	+++	Bleomycin hydrolase		:	:
1. 1. EMPT 134/361-2-bloaned potein (Nips) 2 1. 1. EMPT 134/361-2-bloaned potein (Nips) 3 1. 1. 1. EMPT 134 1. 1. 1. 1. EMPT 134 1. 1. 1. 1. 1. 1. 1. 1	ABP-281 (actin binding protein/filamin)	+	÷	+++	BRCA: -associated RING protein (Bard!)	0	÷	
Fight Figh	Alpha-actin	+		++++++	EIB 198/301-2-binaing protein (Nips)	< 5	:	:
FER-1 (flag endomoticase-1)	Articali enzyme Accol	-		:	Exportin		•	÷.
## 5 ## 5 ## FERRY: (T-del-specific immosphila)	AP56 (acetaminophen-binding protein)	+	CD	<u>+</u>	FEW-1 (flab endonuclease-1)	0	+ + +	
1.00 1.00	-2.vc	÷	C 5	÷	FXRP51 (T-uell-specific immicrolisa)	۲٦		
The control of the	CENEC	į	c >		FILE (FILTE-like inhibitory protein)	co	;	C
TABLE (Taning polypeption)	Coagen alpha 1	÷	+	+++	GEF-H1	ر.	1	
1. 1. 1. 1. 1. 1. 1. 1.	milating farmor	+	c:	:	IAPIC (Jamina assettated polypeptide 1)	ς 3	:	e i
13036	adequated asset as a second	+	c ɔ	÷	MAM domain protein	<>>	:	
13036 1	FRSI transcription factor	+	+	+	1) /2 /3	°-5	:	,
FSC16	TOLONG TOTAL STREET SEE	:	6.5			/ 5	•	(>
13036		*	+	+ +	MMP-3 (Stromelysin-1)	C O	•	C >
Weather the control of the control		-		÷ ÷	Myb-binding protein (P160)	٠	÷	
Worderstand Worderstand Worderstand Wild Worderstand Worders	STATE OF THE STATE	:	-+	÷	NF-1 transcription factor	¢.	•	ca
1		:	c ·	4.	Not theutonal efolase (NNE)		:	÷
### 10 1. 267 (Section 67 Mod protein) 2 2 2 2 2 2 2 2 2	Beat shook prohein 93	:	CT/		CHAIND (150 MIA ONLYGON MOGISTED)		:	
### 9 1. PMB kindse 0 +++	Hara and Taragipash (Syndaman)	:	co	:	(Claided 67 % that profels)	()	÷	;
## Raple GTP binding protein (#) ## Has-GIPase-activating protein 0 +++ ## Ras-GIPase-activating protein 0 +++ ## Broad (tumor susceptibility protein) ++ +++ ## C ++- ## C + ## C	interferon induced gene	-+	ÇT)	.:	PAR Kilase	0	÷	
### Has-GiPase-activating protein 0 +++ ################################	Li retroposon (ORF2)	:	65	+	RapiB GTP binding protein (e)	c>	†	
### (MC9-14)	in the second se	+	+	÷	Ras-GIPase-activating protein	<>>	÷	
## SA (Stronglant)		<u>:</u>	Ç)	-	Recal (rut spinocerobellar ataxia gene)	0	++	+
alor)		+	C.	+	SA i (stromal antigen)	0	;	+
# 0 ++ + + + + + + + + + + + + + + + + +	Мата деле	÷	O	+	Sort! (Sortilin)	0	+	+
## ## ## ## ## ## ## ## ## ## ## ## ##	MMR-2 (Gelatinase A)	+	0	+	TSG101 (tumor susceptibility protein)	+	+++++++++++++++++++++++++++++++++++++++	+
+ + + + + + + + + + + + + + + + + + +	mIFE3 (transcriptional activator)	+	+	÷				
0 + + + + + + + + + + + + + + + + + + +	Nuclear autoantigen SS2NA	++	0	÷				
+ + + + + + + + + + + + + + + + + + + +	Osteoglycin	+	0	<i>‡</i>				
+ + + + + + + + + + + + + + + + + + +	ದ. ಅಕ್ಕೆಂಗರ ನಿರ್ವ	÷ ÷	+	÷				
0 0 0 + + + + + + + + + + + + + + + + +	P-cacherin	÷	()	÷				
0 0 + + + + + + + + + + + + + + + + + +	Phosducinilke protein (Phil?)	÷	0	-				
0 +++ 0 +++++++++++++++++++++++++++++++	Serum inducible kinase (SNK)	+	O	+				
0 +++ 0 +++ ++++++++++++++++++++++++++	STACTS transcription factor	++	O	+++				
Telalicprolethase 2) -++ + + + + + + + + + + + + + + + + +	Thrombospondin 1	++++	O	+				
+ + + + +	metalloproteinase	÷	+	:				
	TRPM-2/clusterin (b)	+++++++++++++++++++++++++++++++++++++++	+	+++				

	Exp	pressio	n Stre	ngth
Sequence Identity (Genbank/EMBL)	208F	FE-8 H-Ras	208F K-Ras	
ABC transporter MOAT-B	ĵ.	++++	(
BDSD-1 (breast cancer suppressor candidate 1)	•	++++	(-
Cyplooxygenase 1	++	++++	+	+ ++++
EIB 1980 Bol-2-binding protein (Nip3)	Ĵ	++	++++	++
EST AA743557	+++	+	(++
EST AA792426	4.	++++	+	÷
EST AA904000	+ ·	++++	+	++
ETF TEA dimain containing transcription factor	++++	C	+ +	+ +
Famesyl pyrophosphate synthetase	4.	+++	C	+ -
FEN-1 (:lap endonuclease-1)	j	++++	+	Ţ;
FITE (FLICE-like inhibitory protein)	-:	+	+ +	-++-
JAF1 protein tyrosine kinase 1	_	++++	+	-+
MAGE-B dene cluster	÷.	++++	0	Ĉ
MAS-kinase phosphatase (opg21)	-	++	+++	-++-
MAHOKS	++++	('	+	+++
MMF-10 (Stromelysin 2)	ij	++	++	++++
MoB-1 (f)	:	++++	+ +	-+
mTFE: (M-linked transcriptional activator)	++++	C	+	
MyN-binaing protein (P161)	.*	++++	+ +	++
nomel transcript N317	-++-	(+-	+++-
F-cadherin (σ)	++++	(C.	++
Phosphatidylinositol 3-kinase p170	+ + +	C:	+	+ +
Rak-GTPase-activating protein	ĺ,	++++	C	Ç
SBM1 phosphatase	Ç	++++	+	+
Serum inducible kinase (ENK) (h)	++++	(ı	+++	+++
Tyrosine phosphatase IA-2a (i)	0	++++	С	++

FIG. 4




FIG. 5






FIG. 6

BOLDS AND COLORS OF THE COLORS OF FR








FIG. 8




FIG. 9




FIG. 10

```
1
2
     T59
     T182
3
     T32
     T6
4
5
     T34
6
7
     N5
     NZC
8
     N280
9
10
11
     N271
      N126
      T148
12
      N199
13
      T64
14
      N131
15
      T20
16
      T162
17
18
      T141
      N77
19
20
      N1C4
      T49
21
      716
22
      N189
23
      N28
24
      T124
      T216
25
26
      T60
27
      T37
28
      T160
29
      N101
3 C
      N40
31
      T54
32
      T120
33
      N159
34
      T185
35
      N151
36
      T147
37
      N183
38
      T25
39
      T47
40
      T43
41
      T139
42
      T176
43
      N144
44
      T35
45
      T98
      T15
T138
46
47
48
      N21
49
      T76
      T103
50
51
52
      T44
53
      N31
54
      T243
55
      N129
56
      T193
      T132
T137
57
58
59
      T217
60
      T191
61
      N42
62
      T156
63
      T67
```

```
64
     N196
65
     T21
66
     N34
67
     N134
     T119
68
69
     N36
70
     N2C9
7:
     N256
72
     T105
73
     T75
     T153
T189
74
75
76
     T86
77
     T111
73
     T144
79
     N192
80
     N103
81
     N270
     N255
82
83
     N6I
84
     N137
     T174
85
86
     N22
87
     T2
88
     T237
89
     T19
     N156
90
91
     N59
92
     N235
92
     N248
92
     N249
92
     N252
92
     N257
93
     8ET
94
     T121
     Nlo
95
96
     T129
97
     T66
98
     T36
99
     T40
100
      Nl
101
      N212
102
      T100
103
      N112
104
      NЗ
105
      N238
106
      T183
107
       T238
108
      T166
109
      N29
      T225
110
111
      N175
112
       N142
      T72
113
      N186
114
       T212
115
116
      T196
117
       T48
113
       N132
119
      N158
120
       T69
121
       N7
       T245
122
```

FIG. 11A

```
N102
123
124
      T208
      N44
125
125
      T205
127
      T215
128
      N293
123
      T226
130
      T253
131
      T222
132
      N264
133
134
      T240
      N70
135
      T125
136
      N253
137
      N234
138
      N53
139
      NZOZ
140
141
      N82
      T45
142
      T118
143
      710
144
      N71
145
      N183
      N165
146
147
      N213
      N35
148
149
      N182
150
      N43
151
      N75
152
      T163
153
      T89
154
      Nll
155
      N32
156
      T50
257
      N215
158
      N242
159
      N181
160
      N48
161
      T227
      N149
162
      N109
163
164
      N260
165
      T219
166
      T61
167
      N85
168
      N45
      T250
169
170
      N261
171
      T172
172
      N62
173
      N160
174
      N154
175
      82K
176
      T232
177
      N128
176
      N79
179
      T58
130
      N30
131
      T68
182
      T244
192
      T251
132
       T96
```

183

N26

FIG. 11B

```
184
      N14
185
      N121
136
      T17
187
      TЗ
133
      T117
      T14
139
      T73
190
191
      N 4
192
      N289
193
      T239
      T170
194
195
      T146
196
      N17
197
      T235
193
      N74
199
      SIN
200
      T211
201
      T136
201
      TZC4
202
      N50
      N116
203
      T223
204
205
      NI98
206
      N267
      T133
207
208
      T80
209
      B15N
210
      N266
211
      T224
212
      N143
213
      NIOS
214
      N263
215
      N250
216
      N92
217
      N152
213
      Tll
      T159
219
220
      N243
221
      N78
      T116
222
      T27
223
224
       N207
       TBI
225
      изв
226
227
       N163
223
      N81
229
      T94
230
      N228
231
      и80
       T230
232
233
       T188
234
       N190
235
      N187
236
       N136
237
       N294
      N275
238
239
       N65
240
       N89
241
       N125
242
       N205
243
       N39
244
       N13
245
       T48
```

FIG. 11C

```
246
       Tloo
247
       T223
248
       N104
249
       N35
250
       T245
251
       N32
252
       T62
253
       N125
254
       N130
255
       N22
256
       T61
       T125
257
       T174
258
259
       T19
260
261
       T204
262
       T153
263
       T27
264
       T212
265
       T159
266
       T226
257
       T239
268
       N263
269
       T66
270
       N75
271
       N250
272
       T175
273
       N283
274
       T40
275
      N152
276
       N256
277
      N28
278
       T160
279
      T82
280
      N122
      T170
281
282
      N44
283
      N19
284
      T103
285
      N126
236
      N55
287
       T42
288
      T34
289
      N159
290
      N21
291
      N154
292
      N80
      T189
T17
293
294
295
      T68
296
      T14
297
      T146
298
      T120
299
      N181
300
      N192
301
      T109
302
      N215
303
      T244
303
      T251
      T96
304
3 C 5
      T211
306
      T243
307
      N213
```

FIG. 11D

```
308
      T224
309
      T94
310
      T183
      N294
T191
311
312
313
      T88
314
      79
315
      N204
316
      N175
317
      N129
318
      T141
319
      N188
320
      N209
321
      T111
322
      T144
323
      N213
324
      N109
325
      N62
326
      T235
327
      N193
328
      N148
329
      N79
330
      T116
331
      N46
332
      N49
333
      N51
      N52
T26
334
335
```

FIG. 11E